

REPROCESSING DENTAL HANDPIECES :

A HOPE FOR ALL AND DENTAL PRACTICES ?

Name : Mireille Ferlita (C.S.S.D) Frédéric Hamon (facilities manag. team)

Affiliation : CHU de NANTES (France)







2

SEMI CRITICAL DEVICES (1/2)



Tooth, saliva, patient's blood, water spray


Bacterial, viral, particules and tissues contamination

- Dental Surgery and Stomatology Infection Prevention Guide (France) (2006)
- Health Monitoring Institute (France) : Analysis of the infectious risk related to non-sterilization between each patient of rotary instrument holders in dental surgery (2009)
- Biofouling of surgical power tools during routine use
 A. Deshpande (UK), G.W.G. Smith, A.J. Smith; Journal of Hospital Infection (2015)





SEMI CRITICAL DEVICES (2/2)



- Predisinfection
- Cleaning / disinfection (A0 = 3000) ++
- Sterilization
- Lubrication
- Health French Authorities (Santé public France) in 2019
- Analysis of the infectious risk related to non-sterilization between each patient of DHP in dental surgery (Santé Public France - 2019)
- German Society of Hospital Hygiene, DGKH congress Berlin (2012)
- Recommandations by the quality task group-RKI/BArM (2012)
- Recommandations by Comident (a dental coordination committee) (2012)
 3





4

What is the problem ?

Manufacturer's instructions



Intricate Devices

No dimantling

Users needs



Fonctional Ergonomic

Safety

ISO 15883 compliance

WD Market

Complete reprocess in connexion

Temperature (Sinner cercle)
 Detergent ≠ alcohol-based product

• Lubricant ≠ Lubricant + water





How could we do?



Yes we could make it better !







PROJECT



(2013 -> 2018)

Our philosophy : Reprocessing DHP safely is not a matter of speed but of efficiency

- Reject the use of water/oil emulsion
- Big load capacity
- Avoid the excessive handling of the operators





PARTNERSHIP

• Thanks for the professionalism and complementarity



Multiple skills, knowledge in mechanics, industrial automation and engineering

- 2 identical "DHP" WD called "LDL"
- 2 Patents







SPECIFICATIONS : A CONPLIANT REPROCESS

- Washing (internal and external)
- **Rinsing (internal and external)**
- Thermal disinfection (A₀ 3000) Lubrication (A)
- Drying Lubrication (B)

Sterilization





- **ISO 15883 Standards / A0 :** « rotary devices must be in rotation motion when being cleaned»
- Comident (a dental coordination committee) (2012)
- French Good Practices (Guidelines)
- Manufacturer instructions





SPECIFICATIONS : ADAPTERS



Multiflex Intramatic

Suitable connections :

- MULTIflex couplings (turbine rotation)
- INTRAmatic couplings

No fluid stagnation within the DHP





SPECIFICATIONS : LUBRICATE





Multiflex

Intramatic

After drying

- Instrumentation Processing (AKI Working Group Germany) (2012)
- Manufacturer instructions
- Quality of lubricant :
 - Specific high speed and dental
 - Biodegradable
 - Hydrolysis-resistant
 - Kinematic viscosity (DIN 51562-3) \simeq 16 mm²/s (40°C)
 - Density = 0,86 g/cm3 (20 °c)





QUALIFICATION: CLEANING



Method :

- Soil test (Internal + external surfaces)
- Protein Residue Test
- 1st OQ + OP : sampling of everything
- reOQ+ OP : sampling of 5 DHP
- Every year compliance with ISO 15883 standard is ensured by a service provider





QUALIFICATION : DRYING AND LUBRICATION



Dental wash cart of 52 adapters

Traces of lubricant (≠ water)









FEEDBACK FROM 5 YEARS : USERS

Internal team survey (2023)
 n = 49 operators





300 DHP / day (2023)
 [mini 180 to maxi 416]

Positive areas	Areas for improvement
Better washed, dried and lubricated with this machine (69 %)	Difficulty to disconnect (66%)
Start cycle and traceability (71%) Reprocess in 1 time (72%)	Some DHP disconnect during the cycle (68%)
Easy and safe to connect (68%) Easy to lubricate (35%)	Modularity (25%) Better access (37%)
	12





FEEDBACK FROM 5 YEARS : Technical problems

• Technical problems :

- water leak
- broken door hinge
- adjustment of the lubricating dryer (due to excessive moisture)
- Failure rate : ratio number of service requests / number of cycles

PERIOD	WD (INSTRUMENTS)	LDL
01/06/2018 to 2021	0,5%	1,1 %
	[0,2% -0,7 %]	1,7 % and 0,4 %
2022	1%	0,6%
	[0,3% -4 %]	0,6% and 0,6 %
half of 2023	1,3%	2,4%
	[0,4% -3,7 %]	0,7% and 4,2 %

• WD Downtime :

- 2022 : 0 to 101 days (WD instruments) vs ? (LDL)




Connexion DHP on LDL rack





FEEDBACK FROM 5 YEARS : Patients safety DHP service requests

- **DHP « health » :** Total number \simeq 1600 DHP (2023)
 - June 2018 2021 : No problems
 - Dec. 2021-2022 : increase in requests²
 ✓ 2 Patients burns (surgery)
 - ✓ Breakages of DHP
- No infections







DISCUSSION

 Today washing, rinsing, drying and after lubricate is possible in one machine
 Not perfect but possible !

• To further improve :

- Others Indicators
- Comparatives trials :
 - \checkmark with an independent laboratory
 - ✓ with other DHP, 3D printing technology DHP ?...







DISCUSSION

- About other experiences :
 - CSSD french survey (october 2023)
 - n = 64 french CSSD (28% respondents)
 - ✓ Hospital DHP different origins
 - ✓ Different reprocess
 - ✓ 35 % lubricant stain
 - ✓ 44% additional handling
 - ✓ 72 % agree to improve WD market







CONCLUSION

Manufacturers Scientific society.....







Dental Practices

CSSD Hospital , Clinic + Dental School









Yes we make it better !







Please share your stories or your opinions